ELSEVIER

Environmental and Experimental Botany 52 (2004) 283–287

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Author Index, Vols. 51–52

Aboal, J.R., Fernández, J.A. and Carballeira, A.
Oak leaves and pine needles as biomonitors of airborne trace elements pollution. 51 (2004) 215
Aguinaga, A., *see* Martínez, A.E. et al.
Alcázar, P., *see* Cariñanos, P. et al.
Allsopp, P.G., *see* Nutt, K.A. et al.
Alves, A.A.C. and Setter, T.L.
Abscisic acid accumulation and osmotic adjustment in cassava under water deficit 51 (2004) 259
Anderson, O.R., *see* Wang, X. et al.
Angelakis, A.N., *see* Paranychianakis, N.V. et al.
Apostol, K.G. and Zwiazek, J.J.
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings 51 (2004) 145
Arduini, I., Masoni, A., Mariotti, M. and Ercoli, L.
Low cadmium application increase miscanthus growth and cadmium translocation 52 (2004) 89
Arkebauer, T.J., *see* Xue, Q. et al.
Asaeda, T., Sultana, M., Manatunge, J. and Fujino, T.
The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions . . . 52 (2004) 225

Bačkor, M. and Fahselt, D.
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada) 52 (2004) 149
Baenziger, P.S., *see* Xue, Q. et al.
Bai, Y., *see* Wang, R. et al.
Baker, J.T., Kim, S.-H., Gitz, D.C., Timlin, D. and Reddy, V.R.
A method for estimating carbon dioxide leakage rates in controlled-environment chambers using nitrous oxide 51 (2004) 103
Bandopadhyay, B., *see* Patra, M. et al.
Bhowmik, N., *see* Patra, M. et al.
Bondada, B., *see* Tu, S. et al.
Bosabalidis, A.M., *see* Papadakis, I.E. et al.
Buzás, Z., *see* Kocsy, G. et al.
Bystrzejewska-Piotrowska, G. and Urban, P.L.
Accumulation and translocation of cesium-137 in onion plants (*Allium cepa*) 51 (2004) 3

Caldwell, M.M., *see* Leffler, A.J. et al.
Camacho, M., *see* Lucas García, J.A. et al.
Carballeira, A., *see* Aboal, J.R. et al.
Cariñanos, P., Galan, C., Alcázar, P. and Domínguez, E.
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula 52 (2004) 11
Carvajal, M., *see* Martínez-Ballesta, M.C. et al.
Chaitanya, K.V., *see* Ramachandra Reddy, A. et al.
Chartzoulakis, K.S., *see* Paranychianakis, N.V. et al.
Christov, K.N., *see* Yordanova, R.Y. et al.
Constantinidou, H.-I., *see* Yadav, R.K.P. et al.

Dai, S., *see* Yan, X. et al.
Daza, A., *see* Lucas García, J.A. et al.
Demirevska-Kepova, K., Simova-Stoilova, L., Stoyanova, Z., Hölzer, R. and Feller, U.
Biochemical changes in barley plants after excessive supply of copper and manganese 52 (2004) 253

doi:10.1016/S0098-8472(04)00140-6

Dimassi, K.N., *see* Papadakis, I.E. et al.
Domenech, J., *see* Lucas García, J.A. et al.
Domínguez, E., *see* Cariñanos, P. et al.
Durnie, S.M., *see* Redfield, E.B. et al.
Duviau, M.-P., *see* Kocsy, G. et al.

Economou, A., *see* Syros, T. et al.
Ercoli, L., *see* Arduini, I. et al.
Ernst, W.H.O.
Boron in plant and animal nutrition 51 (2004) 181

Fahselt, D., *see* Bačkor, M.
Feller, U., *see* Demirevska-Kepova, K. et al.
Fernández, J.A., *see* Aboal, J.R. et al.
Fracheboud, Y., *see* Sinsawat, V. et al.
Franzone, P.M., *see* Martínez, A.E. et al.
Fujino, T., *see* Asaeda, T. et al.
Fujita, K., *see* Saneoka, H. et al.

Galan, C., *see* Cariñanos, P. et al.
Galiba, G., *see* Kocsy, G. et al.
Giannakoula, A., *see* Papadakis, I.E. et al.
Gitz, D.C., *see* Baker, J.T. et al.
Green, C., *see* Jasoni, R. et al.
Griffin, K.L., *see* Wang, X. et al.
Gwóźdź, E.A., *see* Przymusiński, R. et al.

Halley, J.M., *see* Yadav, R.K.P. et al.
Han, F., *see* Shi, S.-B. et al.
Hauck, M., *see* Paul, A. et al.
Hölzer, R., *see* Demirevska-Kepova, K. et al.
Huang, B., *see* Larkindale, J. et al.
Huang, H., *see* Liu, J.
Huttová, J., *see* Tamás, L. et al.

Ivans, C.Y., *see* Leffler, A.J. et al.

Jasoni, R., Kane, C., Green, C., Peffley, E., Tissue, D., Thompson, L., Payton, P. and Paré, P.W.
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions. 51 (2004) 273
Javier Gutierrez Mañero, F., *see* Lucas García, J.A. et al.
Jutur, P.P., *see* Ramachandra Reddy, A. et al.

Kane, C., *see* Jasoni, R. et al.
Karamanoli, K., *see* Yadav, R.K.P. et al.
Kim, S.-H., *see* Baker, J.T. et al.
Kobrehel, K., *see* Kocsy, G. et al.
Kocsy, G., Kobrehel, K., Szalai, G., Duviau, M.-P., Buzás, Z. and Galiba, G.
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize 52 (2004) 101
Krizek, D.T. and Mirecki, R.M.
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies. 51 (2004) 33

Lagôa, A.M.M.A., *see* Souza, R.P. et al.
Langenfeld-Heyser, R., *see* Paul, A. et al.
Larkindale, J. and Huang, B.
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*) 51 (2004) 57
Leffler, A.J., Ivans, C.Y., Ryel, R.J. and Caldwell, M.M.
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment. 51 (2004) 9

Lehmann, C. and Rebele, F.
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos* 51 (2004) 199
Leipner, J., *see* Sinsawat, V. et al.
Li, C., Yin, C. and Liu, S.
Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application 51 (2004) 237
Li, H.-M., *see* Shi, S.-B. et al.
Li, T., *see* Liu, J. et al.
Li, X., *see* Lou, L. et al.
Liu, J., Xiong, Z., Li, T. and Huang, H.
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites 52 (2004) 43
Liu, S., *see* Li, C. et al.
Lou, L., Shen, Z. and Li, X.
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils 51 (2004) 111
Lucas García, J.A., Domenech, J., Santamaría, C., Camacho, M., Daza, A. and Javier Gutierrez Mañero, F.
Growth of forest plants (pine and holm-oak) inoculasted with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere 52 (2004) 239

Ma, L.Q., *see* Tu, S. et al.
MacDonald, G.E., *see* Tu, S. et al.
Machado, E.C., *see* Souza, R.P. et al.
Manatunge, J., *see* Asaeda, T. et al.
Mansour, M.M.F. and Salama, K.H.A.
Cellular basis of salinity tolerance in plants 52 (2004) 113
Mariotti, M., *see* Arduini, I. et al.
Martínez, A.E., Franzone, P.M., Aguinaga, A., Polenta, G., Murray, R. and Prina, A.R.
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley 51 (2004) 133
Martínez, V., *see* Martínez-Ballesta, M.C. et al.
Martínez-Ballesta, M.C., Martínez, V. and Carvajal, M.
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl 52 (2004) 161
Masoni, A., *see* Arduini, I. et al.
Mauchamp, A. and Méthy, M.
Submergence-induced damage of photosynthetic apparatus in *Phragmites australis* 51 (2004) 227
Méthy, M., *see* Mauchamp, A.
Mirecki, R.M., *see* Krizek, D.T.
Mislevy, P., *see* Sinclair, T.R. et al.
Mistrík, I., *see* Tamás, L. et al.
Mitova, I., *see* Stancheva, I. et al.
Moghaieb, R.E.A., *see* Saneoka, H. et al.
Murray, R., *see* Martínez, A.E. et al.

Nutt, K.A., O'Shea, M.G. and Allsopp, P.G.
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane . . 51 (2004) 155

Omirou, M., *see* Syros, T. et al.
O'Shea, M.G., *see* Nutt, K.A. et al.

Papadakis, I.E., Dimassi, K.N., Bosabalidis, A.M., Therios, I.N., Patakas, A. and Giannakoula, A.
Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks 51 (2004) 247
Paranychianakis, N.V., Chartzoulakis, K.S. and Angelakis, A.N.
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines 52 (2004) 185
Paré, P.W., *see* Jasoni, R. et al.
Patakas, A., *see* Papadakis, I.E. et al.
Patra, M., Bhowmik, N., Bandopadhyay, B. and Sharma, A.
Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance 52 (2004) 199

Paul, A., Hauck, M. and Langenfeld-Heyser, R.
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese 52 (2004) 139
Payton, P., *see* Jasoni, R. et al.
Peffley, E., *see* Jasoni, R. et al.
Petkova, Z., *see* Stancheva, I. et al.
Polenta, G., *see* Martínez, A.E. et al.
Popova, L.P., *see* Yordanova, R.Y. et al.
Prasad, S.M. and Zeeshan, M.
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum* 52 (2004) 175
Premachandra, G.S., *see* Saneoka, H. et al.
Premazzi, L.M., *see* Sinclair, T.R. et al.
Prina, A.R., *see* Martínez, A.E. et al.
Przymusiński, R., Rucińska, R. and Gwóźdź, E.A.
Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stresses 52 (2004) 53

Ramachandra Reddy, A., Chaitanya, K.V., Jutur, P.P. and Sumithra, K.
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars 52 (2004) 33
Ray, J.D., *see* Sinclair, T.R. et al.
Rebele, F., *see* Lehmann, C.
Reddy, V.R., *see* Baker, J.T. et al.
Redfield, E.B., Durnie, S.M. and Zwiazek, J.J.
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings 52 (2004) 1
Rucińska, R., *see* Przymusiński, R. et al.
Ryel, R.J., *see* Leffler, A.J. et al.

Salama, K.H.A., *see* Mansour, M.M.F.
Saneoka, H., Moghaieb, R.E.A., Premachandra, G.S. and Fujita, K.
Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds 52 (2004) 131
Santamaría, C., *see* Lucas García, J.A. et al.
Scebba, F., *see* Sebastiani, L. et al.
Sebastiani, L., Scebba, F. and Tognetti, R.
Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste 52 (2004) 79
Setter, T.L., *see* Alves, A.A.C.
Shang, X., *see* Yan, X. et al.
Sharma, A., *see* Patra, M. et al.
Shen, Z., *see* Lou, L. et al.
Shi, S.-B., Zhu, W.-Y., Li, H.-M., Zhou, D.-W., Han, F., Zhao, X.-Q. and Tang, Y.-H.
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation 51 (2004) 75
Silva, J.A.B., *see* Souza, R.P. et al.
Silveira, J.A.G., *see* Souza, R.P. et al.
Šimonovičová, M., *see* Tamás, L. et al.
Simova-Stoilova, L., *see* Demirevska-Kepova, K. et al.
Sinclair, T.R., Ray, J.D., Premazzi, L.M. and Mislevy, P.
Photosynthetic photon flux density influences grass responses to extended photoperiod 51 (2004) 69
Sinsawat, V., Leipner, J., Stamp, P. and Fracheboud, Y.
Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature . . . 52 (2004) 123
Souza, R.P., Machado, E.C., Silva, J.A.B., Lagôa, A.M.M.A. and Silveira, J.A.G.
Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery 51 (2004) 45
Stamp, P., *see* Sinsawat, V. et al.
Stancheva, I., Mitova, I. and Petkova, Z.
Effects of different nitrogen fertilizer sources on the yield, nitrate content and other physiological parameters in garden beans 52 (2004) 277

Stoyanova, Z., *see* Demirevska-Kepova, K. et al.
Sultana, M., *see* Asaeda, T. et al.
Sumithra, K., *see* Ramachandra Reddy, A. et al.
Syros, T., Yupsanis, T., Omirou, M. and Economou, A.
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera 52 (2004) 23
Szalai, G., *see* Kocsy, G. et al.

Tamás, L., Šimonovičová, M., Huttová, J. and Mistrík, I.
Aluminium stimulated hydrogen peroxide production of germinating barley seeds 51 (2004) 281
Tang, Y.-H., *see* Shi, S.-B. et al.
Tanino, K., *see* Wang, R. et al.
Therios, I.N., *see* Papadakis, I.E. et al.
Thompson, L., *see* Jasoni, R. et al.
Timlin, D., *see* Baker, J.T. et al.
Tissue, D., *see* Jasoni, R. et al.
Tognetti, R., *see* Sebastiani, L. et al.
Tu, S., Ma, L.Q., MacDonald, G.E. and Bondada, B.
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L. 51 (2004) 121

Urban, P.L., *see* Bystrzejewska-Piotrowska, G.

Vokou, D., *see* Yadav, R.K.P. et al.

Wang, R., Bai, Y. and Tanino, K.
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.) 51 (2004) 183
Wang, X., Anderson, O.R. and Griffin, K.L.
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration 51 (2004) 21
Wang, Y., *see* Yan, X. et al.
Weiss, A., *see* Xue, Q. et al.
Wu, S., *see* Yan, X. et al.

Xiong, Z., *see* Liu, J. et al.
Xue, Q., Weiss, A., Arkebauer, T.J. and Baenziger, P.S.
Influence of soil water status and atmospheric vapor pressure deficit on leaf gas exchange in field-grown winter wheat 51 (2004) 167

Yadav, R.K.P., Halley, J.M., Karamanoli, K., Constantinidou, H.-I. and Vokou, D.
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models . . 52 (2004) 63
Yan, X., Wu, S., Wang, Y., Shang, X. and Dai, S.
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain . . 52 (2004) 267
Yin, C., *see* Li, C. et al.
Yordanova, R.Y., Christov, K.N. and Popova, L.P.
Antioxidative enzymes in barley plants subjected to soil flooding 51 (2004) 93
Yupsanis, T., *see* Syros, T. et al.

Zeeshan, M., *see* Prasad, S.M. et al.
Zhao, X.-Q., *see* Shi, S.-B. et al.
Zhou, D.-W., *see* Shi, S.-B. et al.
Zhu, W.-Y., *see* Shi, S.-B. et al.
Zwiazek, J.J., *see* Apostol, K.G.
Zwiazek, J.J., *see* Redfield, E.B. et al.

ELSEVIER

Environmental and Experimental Botany 52 (2004) 289–299

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Subject Index, Vols. 51–52

Abitotic stress
Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stresses, 52 (2004) 53

Abscisic acid
Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Accumulation
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites, 52 (2004) 43

Acropetal and basipetal transport
Accumulation and translocation of cesium-137 in onion plants (*Allium cepa*), 51 (2004) 3

Active oxygen species
Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Adaptation
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation, 51 (2004) 75

Agrostis palustris
Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds, 52 (2004) 131

Air pollution
Oak leaves and pine needles as biomonitors of airborne trace elements pollution, 51 (2004) 215

Airborne pollen
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

***Allium cepa* L.**
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

Alpine plants
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation, 51 (2004) 75

Aluminium
Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Anionic peroxidases
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Anoxia
Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*, 51 (2004) 227

Antioxidant enzymes
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Antioxidants
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Arid areas
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

Aromatic plants
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

Arsenate
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Arsenic
Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance, 52 (2004) 199

doi:10.1016/S0098-8472(04)00141-8

Arsenite
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Ascorbate
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Assimilation
A method for estimating carbon dioxide leakage rates in controlled-environment chambers using nitrous oxide, 51 (2004) 103

Barley (*Hordeum vulgare* L.)
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Barley root mutant
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley, 51 (2004) 133

Base temperature
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.), 51 (2004) 183

Bioaccumulation
Oak leaves and pine needles as biomonitors of airborne trace elements pollution, 51 (2004) 215

Bio-climatic conditions
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

Boron
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Boron toxicity
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

Cadmium
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Low cadmium application increase miscanthus growth and cadmium translocation, 52 (2004) 89

Canegrubs
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane, 51 (2004) 155

Capsicum annuum
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Carbohydrates
Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Carbon dioxide
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

Carbon isotope composition
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Cationic peroxidases
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Cd-uptake
Low cadmium application increase miscanthus growth and cadmium translocation, 52 (2004) 89

Cell membrane stability
Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds., 52 (2004) 131

Cell solute potential
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Cell viability
Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Cell wall
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Cell-wall phenolics
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane, 51 (2004) 155

^{14}C – fixation
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Chlorophyll *a*
The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions, 52 (2004) 225

Chlorophyll *a* fluorescence
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Chlorophyll *a* integrity
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Chlorophyll fluorescence
Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*, 51 (2004) 227

Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature, 52 (2004) 123

Chloroplast degeneration
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

Chloroplast ultrastructure
Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

Chloroplasts
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Chlorosis
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

Chromium
Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Citrus
Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

CO_2 enrichment
A method for estimating carbon dioxide leakage rates in controlled-environment chambers using nitrous oxide, 51 (2004) 103

Colonisation
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Compatible solutes
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Concentric bodies
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

Constitutive tolerance
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

Controlled-environment chamber
A method for estimating carbon dioxide leakage rates in controlled-environment chambers using nitrous oxide, 51 (2004) 103

Copper
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites, 52 (2004) 43

Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Copper tolerance
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

***p*-Coumaric acid**
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane, 51 (2004) 155

Creeping bentgrass
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*), 51 (2004) 57

Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds., 52 (2004) 131

^{137}Cs
Accumulation and translocation of cesium-137 in onion plants (*Allium cepa*), 51 (2004) 3

Cu
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Cu-binding proteins
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Cucumis sativus
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

Cytoplasmic streaming
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Cytoplasmic viscosity
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Dark respiration
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Dead leaves
The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions, 52 (2004) 225

Dry matter accumulation and allocation
Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Ecophysiological response
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites, 52 (2004) 43

Electrolyte leakage
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Electrolytic leakage
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Elemental analysis
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Elevated CO_2
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Elsholtzia haichowensis
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Environmental factors
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Ethylene
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley, 51 (2004) 133

Extreme temperatures
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Fertilizer sources
Effects of different nitrogen fertilizer sources on the yield, nitrate content and other physiological parameters in garden beans, 52 (2004) 277

Ferulic acid
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane, 51 (2004) 155

Flooding
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

Flooding stress
Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*, 51 (2004) 227

Foliar feeding
Effects of different nitrogen fertilizer sources on the yield, nitrate content and other physiological parameters in garden beans, 52 (2004) 277

Forage grasses
Photosynthetic photon flux density influences grass responses to extended photoperiod, 51 (2004) 69

Garden beans
Effects of different nitrogen fertilizer sources on the yield, nitrate content and other physiological parameters in garden beans, 52 (2004) 277

Gas exchange
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Influence of soil water status and atmospheric vapor pressure deficit on leaf gas exchange in field-grown winter wheat, 51 (2004) 167

Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Genotoxicity
Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance, 52 (2004) 199

Germination
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.), 51 (2004) 183

Glutamate synthase
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Glutamine synthetase
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Glutathione
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Glycinebetaine
Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds., 52 (2004) 131

Grapevines
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Growth
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Low cadmium application increase miscanthus growth and cadmium translocation, 52 (2004) 89

Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Growth analysis
Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Heat acclimation
Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature, 52 (2004) 123

Heat tolerance
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*), 51 (2004) 57

Heavy metal tolerance
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

High temperature
Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature, 52 (2004) 123

Hordeum vulgare
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley, 51 (2004) 133

Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Hordeum vulgare cv. Alfa
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

Hydrogen peroxide
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

Hydroponic culture
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Hyperaccumulation
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Hypoxia
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Immunodetection
Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stresses, 52 (2004) 53

INA bacteria
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

Iron
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Irrigation
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Irrigation level
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Lead
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance, 52 (2004) 199

Leaf anatomy
Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

Leaf morphology
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation, 51 (2004) 75

Leaf surface area
The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions, 52 (2004) 225

Leaves
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*), 51 (2004) 57

Lichen substances
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Lipid peroxidation
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Lipids
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*), 51 (2004) 57

Lognormal distribution
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

Lupine
Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stresses, 52 (2004) 53

Lysosome-like vesicles
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

Maize (*Zea mays*)
Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature, 52 (2004) 123

Manganese
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Manihot esculenta
Abscisic acid accumulation and osmotic adjustment in cassava under water deficit, 51 (2004) 259

Mass accumulation
Photosynthetic photon flux density influences grass responses to extended photoperiod, 51 (2004) 69

Medicinal plant
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Mediterranean shrubs
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

Mediterranean vegetation
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

Mercury
Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance, 52 (2004) 199

Mesosome-like structures
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

Methyl ketone
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

Miscanthus
Low cadmium application increase miscanthus growth and cadmium translocation, 52 (2004) 89

Mitochondria
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Modeling
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.), 51 (2004) 183

Monocrotophos
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Monomethylarsonic acid
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Morus alba
Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Mosses
Oak leaves and pine needles as biomonitors of airborne trace elements pollution, 51 (2004) 215

NADH oxidase
Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Needle necrosis
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Net assimilation of CO_2
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Net photosynthesis
The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions, 52 (2004) 225

Nickel
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Nicotiana sylvestris
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Nitrogen acquisition
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Nitrogen application
Nitrogen nutrition and water stress effects on cell membrane stability and leaf water relations in *Agrostis palustris* Huds., 52 (2004) 131

N_2O
A method for estimating carbon dioxide leakage rates in controlled-environment chambers using nitrous oxide, 51 (2004) 103

Nutrition
Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Oil sands
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Onion
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

Osmolyte concentration
Abscisic acid accumulation and osmotic adjustment in cassava under water deficit, 51 (2004) 259

Osmotic adjustment
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Osmotic stress
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Oxidative stress
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Ozone depletion
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation, 51 (2004) 75

Pathogenesis-related proteins
Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stresses, 52 (2004) 53

Peroxidases
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

PGPR
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

***Phaseolus vulgaris* (L.) Savi.**
Effects of different nitrogen fertilizer sources on the yield, nitrate content and other physiological parameters in garden beans, 52 (2004) 277

Photobionts
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Photoperiod
Photosynthetic photon flux density influences grass responses to extended photoperiod, 51 (2004) 69

Photosynthesis
Chloroplast numbers, mitochondrion numbers and carbon assimilation physiology of *Nicotiana sylvestris* as affected by CO_2 concentration, 51 (2004) 21

Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Effects of B excess on some physiological and anatomical parameters of 'Navelina' orange plants grafted on two rootstocks, 51 (2004) 247

Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera, 52 (2004) 23

Effect of heat stress on the photosynthetic apparatus in maize (*Zea mays* L.) grown at control or high temperature, 52 (2004) 123

Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Photosynthetic photon flux density
Photosynthetic photon flux density influences grass responses to extended photoperiod, 51 (2004) 69

Phragmites australis
Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*, 51 (2004) 227

Phthalates
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

Phycobilisome
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Phyllosphere bacteria
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

Phytoavailability
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Phytoremediation
Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Low cadmium application increase miscanthus growth and cadmium translocation, 52 (2004) 89

Pinus pinaster
Oak leaves and pine needles as biomonitors of airborne trace elements pollution, 51 (2004) 215

Pinus pinea
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Plant resistance
Feeding by sugarcane whitegrubs induces changes in the types and amounts of phenolics in the roots of sugarcane, 51 (2004) 155

Plants adaptation
Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

Plasma membrane permeability
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Plasticizers
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

Plectonema boryanum
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

PLFAs
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Populus davidiana
Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Potassium
Abscisic acid accumulation and osmotic adjustment in cassava under water deficit, 51 (2004) 259

Proline
Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Abscisic acid accumulation and osmotic adjustment in cassava under water deficit, 51 (2004) 259

Protoplasmic characteristics
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Qinghai-Tibet Plateau
Photosynthesis of *Saussurea superba* and *Gentiana straminea* is not reduced after long-term enhancement of UV-B radiation, 51 (2004) 75

***Quercus ilex* ssp. Ballota**
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Quercus robur
Oak leaves and pine needles as biomonitors of airborne trace elements pollution, 51 (2004) 215

Raspberry
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Reclamation
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Recycled water
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Resistance
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites, 52 (2004) 43

Rhizospheré
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Rhodiola sachalinensis
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Root and foliar contamination
Accumulation and translocation of cesium-137 in onion plants (*Allium cepa*), 51 (2004) 3

Root growth
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley, 51 (2004) 133

Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Root hydraulic conductance
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Root hydrotropism
A nuclear gene controlling seminal root growth response to hydroponic cultivation in barley, 51 (2004) 133

Root water flow
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Roots
Changes of lipid composition and saturation level in leaves and roots for heat-stressed and heat-acclimated creeping bentgrass (*Agrostis stolonifera*), 51 (2004) 57

Rootstock
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Rubisco
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Rubisco activase
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Rubisco binding protein
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Rumex dentatus
Bioaccumulation and ecophysiological responses to copper stress in two populations of *Rumex dentatus* L. from Cu contaminated and non-contaminated sites, 52 (2004) 43

Salidroside
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Salinity
Effects of hypoxia on ion accumulation in wild raspberry (*Rubus idaeus*) exposed to water released from saline oil sands mine tailings, 52 (2004) 1

Salt tolerance
Cellular basis of salinity tolerance in plants, 52 (2004) 113

Salts
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Secondary metabolism
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Soil analysis
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

Soil nutrition
Soil nutrient factors related to salidroside production of *Rhodiola sachalinensis* distributed in Chang Bai Mountain, 52 (2004) 267

Soil water distribution
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Soil water potential
Influence of soil water status and atmospheric vapor pressure deficit on leaf gas exchange in field-grown winter wheat, 51 (2004) 167

Solar radiation
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

Source/sink relations
Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Speciation
Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of *Pteris vittata* L., 51 (2004) 121

Stomatal conductance
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Submergence tolerance
Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*, 51 (2004) 227

Sugar concentration
Abscisic acid accumulation and osmotic adjustment in cassava under water deficit, 51 (2004) 259

Superoxide dismutase
Antioxidative enzymes in barley plants subjected to soil flooding, 51 (2004) 93

Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Superoxide formation
Aluminium stimulated hydrogen peroxide production of germinating barley seeds, 51 (2004) 281

Thermal time
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.), 51 (2004) 183

Thioredoxin *h*
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Thymidine leucine incorporation
Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere, 52 (2004) 239

Tissue elements
Boron and water uptake in jack pine (*Pinus banksiana*) seedlings, 51 (2004) 145

Tolerance
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Comparison of mercury, lead and arsenic with respect to genotoxic effects on plant systems and the development of genetic tolerance, 52 (2004) 199

Toxicity
Biochemical changes in barley plants after excessive supply of copper and manganese, 52 (2004) 253

Transplant experiment
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

Trebouxia jamesii
Ultrastructural changes in soredia of the epiphytic lichen *Hypogymnia physodes* cultivated with manganese, 52 (2004) 139

Trichome
Bacterial populations on the leaves of Mediterranean plants: quantitative features and testing of distribution models, 52 (2004) 63

2-Tridecanone
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

2-Undecanone
Altered leaf and root emissions from onion (*Allium cepa* L.) grown under elevated CO_2 conditions, 51 (2004) 273

Uptake
The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils, 51 (2004) 111

Usnic acid
Physiological attributes of the lichen *Cladonia pleurota* in heavy metal-rich and control sites near Sudbury (Ont., Canada), 52 (2004) 149

UV exclusion
Evidence for phytotoxic effects of cellulose acetate in UV exclusion studies, 51 (2004) 33

UV-B irradiation
Effect of UV-B and monocrotophos, singly and in combination, on photosynthetic activity and growth of non-heterocystous cyanobacterium *Plectonema boryanum*, 52 (2004) 175

Vapor pressure deficit
Influence of soil water status and atmospheric vapor pressure deficit on leaf gas exchange in field-grown winter wheat, 51 (2004) 167

Water relations
Osmotic adjustment, water relations and gas exchange in pepper plants grown under NaCl or KCl, 52 (2004) 161

Influence of rootstock, irrigation level and recycled water on water relations and leaf gas exchange of Soultanina grapevines, 52 (2004) 185

Water stress
Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery, 51 (2004) 45

Airborne pollen records response to climatic conditions in arid areas of the Iberian Peninsula, 52 (2004) 11

Differential antioxidative responses to water stress among five mulberry (*Morus alba* L.) cultivars, 52 (2004) 33

Water use
Gas exchange and growth responses of the desert shrubs *Artemisia tridentata* and *Chrysothamnus nauseosus* to shallow- vs. deep-soil water in a glasshouse experiment, 51 (2004) 9

Water use efficiency
Different responses of two contrasting *Populus davidiana* populations to exogenous abscisic acid application, 51 (2004) 237

Wheat
Influence of soil water status and atmospheric vapor pressure deficit on leaf gas exchange in field-grown winter wheat, 51 (2004) 167

Winterfat (*Eurotia lanata*)
Effect of seed size and sub-zero imbibition-temperature on the thermal time model of winterfat (*Eurotia lanata* (Pursh) Moq.), 51 (2004) 183

Zea
Abiotic stress-induced changes in glutathione and thioredoxin *h* levels in maize, 52 (2004) 101

Zinc
Evaluation of heavy metal tolerance in *Calamagrostis epigejos* and *Elymus repens* revealed copper tolerance in a copper smelter population of *C. epigejos*, 51 (2004) 199

Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste, 52 (2004) 79

Vol. 51
Contents

2004